



ITEM	QTY -041	P/N	DESCRIPTION
	X	D5485-041	CONNECTOR TIE DOWN STRAP ASSY
1	1	D5295-1	RING
2	2	D5298-1	2" TWISTED SNAP HOOK
3	1	D5485-1	STRAP
4	1	D5485-3	STRAP
5	1	D5487-3	CONNECTOR



D5485-041 CONNECTOR TIE DOWN STRAP ASSY



- NOTES:
- 1) MATERIAL: WEBBING MATERIAL: 2" NYLON, RED WEBBING, PER MIL-W-4088 TYPE XXIV CLASS 1A, (ACCEPTABLE TO SUBSTITUTE BLACK WEBBING FOR RED PER CUSTOMER PREFERENCE)
WEBBING MUST MEET 2.5" HORIZONTAL BURN TEST PER FAR 29.853A3
WEBBING THREAD: V-T-295 TYPE II (OR A-A-59826), CLASS A SIZE 3, NYLON, BLACK
 - 2) FINISH: ALL CUT EDGES TO BE HEAT SEALED
 - 3) TOLERANCES: X.X ± 0.30 , X.XX ± 0.13 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: WITH SEWN ON LABEL "DART AEROSPACE LTD. P/N D5485-041"
 - 7) WEIGHT: 1.7 lbs APPROXIMATE
 - 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH

APPROVED

RELEASED
2017-02-07
17-515

A	NEW ISSUE		AJS	17.01.20
REV.	DESCRIPTION		BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	AJS			
CHECKED	ML	DRAWING NO. REV. A D5485 SHEET 1 OF 4		
MFG. APPR.	LL			
APPROVED	WM	TITLE SCALE NET TIE DOWN STRAP ASSY NTS		
DE APPR.	DS			
DATE	17.01.20	COPYRIGHT © 2017 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		

ITEM	QTY -043	P/N	DESCRIPTION
	X	D5485-043	BUCKLE TIE DOWN STRAP ASSY
1	1	D5295-1	RING
2	2	D5298-1	2" TWISTED SNAP HOOK
3	1	D5485-3	STRAP
4	1	D5485-5	STRAP
5	1	D5487-1	BUCKLE




D5485-043 BUCKLE TIE DOWN STRAP ASSY

- NOTES:
- 1) MATERIAL: WEBBING MATERIAL: 2" NYLON, RED WEBBING, PER MIL-W-4088 TYPE XXIV CLASS 1A, (ACCEPTABLE TO SUBSTITUTE BLACK WEBBING FOR RED PER CUSTOMER PREFERENCE)
WEBBING MUST MEET 2.5" HORIZONTAL BURN TEST PER FAR 29.853A3
WEBBING THREAD: V-T-295 TYPE II (OR A-A-59826), CLASS A SIZE 3, NYLON, BLACK
 - 2) FINISH: ALL CUT EDGES TO BE HEAT SEALED
 - 3) TOLERANCES: X.X ±0.30, X.XX ±0.13 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: WITH SEWN ON LABEL "DART AEROSPACE LTD. P/N D5485-043"
 - 7) WEIGHT: 2.0 lbs APPROXIMATE
 - 8) ALL STITCHING TO BE MACHINE STITCHED IN ACCORDANCE WITH ASTM D6193 TYPE 301, 8-10 STITCHES PER INCH, MINIMUM 0.5" BACK STITCH



RELEASED
2017-02-07

APPROVED

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	ML	DRAWING NO. D5485	REV. A
MFG. APPR.	LL		SHEET 2 OF 4
APPROVED	WM	TITLE	SCALE
DE APPR.	D9	NET TIE DOWN STRAP ASSY	NTS
DATE	17.01.20	COPYRIGHT © 2017 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



8 **DETAIL A: STITCHING PATTERN**




DETAIL B
(BUCKLE INSTALLATION)


RELEASED
2017-02-07

APPROVED


DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	ML	DRAWING NO. D5485	REV. A
MFG. APPR.	LL		SHEET 3 OF 4
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	NET TIE DOWN STRAP ASSY	NTS
DATE	17.01.20	<small>COPYRIGHT © 2017 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D5485-1 STRAP



D5485-3 STRAP



D5485-5 STRAP

NOTES:

- 1) MATERIAL: WEBBING MATERIAL: 2" NYLON, RED WEBBING, PER MIL-W-4088 TYPE XXIV CLASS 1A, (ACCEPTABLE TO SUBSTITUTE BLACK WEBBING FOR RED PER CUSTOMER PREFERENCE)
WEBBING MUST MEET 2.5" HORIZONTAL BURN TEST PER FAR 29.853A3
- 2) FINISH: ALL CUT EDGES TO BE HEAT SEALED
- 3) TOLERANCES: X.X = ± 0.30 , X.XX = ± 0.13
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

RELEASED
2017-02-07

APPROVED

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	ML	DRAWING NO. D5485	REV. A
MFG. APPR.	LL		SHEET 4 OF 4
APPROVED	WM	TITLE	SCALE
DE APPR.	DS	NET TIE DOWN STRAP ASSY	NTS
DATE	17.01.20	COPYRIGHT © 2017 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	